




ROPE & ASSEMBLIES DIVISION

ROPE & ASSEMBLIES

Capabilities Guide



Rope & Assemblies Division Capabilities

Introduction

This capabilities guide provides information to assist in determining the Central Wire Rope & Assembly Division location that is best suited to provide the product or service that you need. The guide is structured in such a way to provide general information on capabilities by location (see chart below) and to then present specific products and processes available at each of the four divisional companies. A full page is allocated to each company to highlight their unique offerings. Contact detail is provided on the opposite page, and well as on each locations' page and the back cover.

If for some reason you cannot find the product or service that you are looking for, please contact one of our Rope and Assembly Division Companies listed in this Capabilities Guide and they will be happy to assist in finding you what you require.

	Wet Wire Drawing	Fine Wire Drawing	Wire & Cable Cleaning	Commercial Strand	Commercial Aircraft Cable	Commercial Wire Rope	Commercial Hardware	Domestic Strand	Domestic Aircraft Cable	Domestic Wire Rope	Import Wire Rope	Military Specification Aircraft Cable
Loos & Co., Inc.	✓	✓	✓	✓	✓	✓		✓	✓	✓		✓
Strand Core				✓	✓	✓		✓	✓	✓		✓
Sanlo				✓	✓	✓	✓				✓	
Loos & Co., Inc. Cableware Division							✓					

Military & Industry Specifications

MIL-DTL-83420
 MIL-DTL-87161
 MIL-DTL-18375
 MIL-DTL-87218
 MIL-DTL-83140
 MIL-DTL-781
 MIL-DTL-8878
 MIL-DTL-5765
 MIL-DTL-6117
 MIL-DTL-5688
 MIL-W-12567
 MIL-W-18242

MIL-W-21632
 DMS 2187
 DMS 2192
 DMS 2453
 DMS 2454
 DMS 2114
 DMS 1989
 DMS 2220
 BMS7-265
 ASTM A1023
 ASTM A475
 ASTM A313

P100
 P101
 BAMS 511-001
 BS24917
 CM3862
 GL505H
 PS 60043
 ISO 2020
 BS 2W 12:1989
 RR-W-410
 CMMP007

Contact Information

SEE PAGE 4



Toll Free: (800) 275-5408
 sales@sanlo.com
 www.sanlo.com

SEE PAGE 6



Toll Free: (800) 983-9926
 sales@strandcore.com
 www.strandcore.com

SEE PAGE 8



Toll Free: (800) 533-LOOS (5667)
 sales@loosco.com
 www.loosco.com

SEE PAGE 10



Toll Free: (800) 321-LOOS (5667)
 sales@loosnaples.com
 www.loosnaples.com

Military Specification Wire Rope	Military Specification Hardware	Commercial Jacketed Cable & Wire Rope	Military specification Jacketed Cable	Seismic Bracing Cable	Seismic Bracing Hardware & Tools	Pulleys & Sheaves	Respooling	Proofloading / Prestretching	Cutting & Swaging Tools	Electric Cut Lengths	Commercial Cable Assemblies	Aircraft Flight Control Assemblies	Precision Machining	ISO 9001	AS9100	ISO 13485	QML 6117
✓		✓	✓				✓	✓		✓	✓	✓		✓	✓	✓	✓
✓							✓	✓			✓	✓		✓	✓		
		✓					✓	✓	✓	✓	✓			✓			
	✓			✓	✓	✓	✓		✓		✓		✓	✓	✓		

Customer Approvals

A.E. Petsche Co.
 Airbus S.A.S
 AgustaWestland
 ATK Space System
 Boeing Commercial Airplane. D1-9000
 Bombardier Aerospace
 Lockheed C-130 B-H Certified Parts Licensee
 Cessna Aircraft Co.
 Philadelphia Defense Control Center
 Erickson Air-Crane Inc
 Goodrich Aerospace Landing Gear Division
 Gulfstream Aerospace Corp.
 Central Texas Aircraft
 LMASI-R010
 Lockheed Martin Aeronautics Co.

Lycoming Engines
 Martin-Baker America
 Military Aircraft Systems
 Northrup Grumman Corp.
 Raytheon Aircraft Co.
 Spirit Aerosystems
 Triumph Group
 TRW Space and Electronics Group
 Vulcanair Aircraft
 Wesco Aircraft
 Goodrich
 The Boeing Co.
 Textron
 DLA Aviation





About Us

Sanlo Inc. is a leading manufacturer of custom cable assemblies in a wide variety of bare and coated cable configurations. Coatings include nylon, vinyl, and other thermoplastic and/or specialized coatings. Sanlo also sells bulk strand, cable, and coated cable, in addition to cable assemblies for industrial, commercial, and consumer end-uses. Wire rope and mechanical cable assemblies provide a simple, reliable, and cost-effective solution to an ever-increasing diversity of applications. Sanlo offers on-site engineering services to assist with your custom designs and can often prototype your assemblies.

Products & Services

Import Strand:

1/32"-9/16" 1x7 galvanized
1/32"-1/8" 1x7 302/304, 316 stainless steel
1/32"-3/8" 1x19 galvanized
1/32"-1/2" 1x19 302/304, 316 stainless steel

Import Wire Rope:

1/32"-3/64" 3x7 galvanized
1/32"-3/64" 3x7 302/304, 316 stainless steel
3/16"-1" 6x19 bright, galvanized IWRC & Fiber Core
1/4"-3/4" 6x19 302/304, 316 IWRC & Fiber Core
1/4"-1" 6x37 bright, galvanized IWRC & Fiber Core
1/4"-3/4" 6x37 302/304, 316 IWRC & Fiber Core

Aircraft Cable:

3/64"-5/16" 7x7 galvanized
1/32"-1/4" 7x7 302/304, 316 stainless steel
1/16"-3/8" 7x19 galvanized
1/32"-3/8" 7x19 302/304, 316 stainless steel

Standard Mechanical Assemblies:

Loop-eye galvanized and stainless lanyards
Eye-eye galvanized and stainless lanyards
loop-loop galvanized and stainless lanyards
loop-loop tab galvanized and stainless lanyards

Custom Assemblies:

Standard cable sizes: 1/32"-5/8"
Standard constructions: 1x7, 3x7, 1x19, 7x7, 7x19
Bare or jacketed - nylon or vinyl
Vinyl or nylon
Custom colors
Stock commercial hardware
Custom hardware

Specialty Products:

Air hose support cables
Bottom rod support cable
Autorack car safety and door cable
Center beam tie-down cable
Bed support system cable
Deck support cable
Release cable
Slide-out room system cable
Winch cables
Hang-on tree stand cable
Climbing tree stand cable
Hunting bow press cable
Fishing cable
Fish tapes
Air suspension bead rings
Air suspension clamp rings
Retail security cable
Cargo and bike lock cable
Computer security lock cable
Spring box cable assemblies
Emergency shutoff cable
Lock out/ Tag out safety cable
Reflexlite
Kobra Koil assemblies

Assembly Processing:

Fuse cut lengths	Kitting
Cut/strip lengths	Individual bagging/labeling
Die Cast	Part Identification
Coiling	

Wire Rope & Cable Processing:

Re-reeling, plastic/pressboard/plywood/lumber reels
Cut/coil/zip tie packaging

Coated Cable:

Nylon:

3/32"-3/8" 7x19 galvanized coated to 1/8"-15/32"
3/32"-3/8" 7x19 stainless steel coated to 1/8"-15/32"
3/64"-1/4" 7x7 galvanized coated to 1/16"-3/8"
1/32"-1/4" 7x7 stainless steel coated to 3/64"-3/8"

Nylon Colors:

Clear	Orange Opaque
Blue Trans.	Red Trans.
Brown	Red Opaque
Gray Light	White
Green Forest	Yellow Opaque

Custom colors upon request

Tools:

Cable Cutters
Crimping Tools

Stock Commercial Hardware:

Compression sleeves
Stamped eye terminal
Stops
Plain ball ends
Single shank ball ends
Standard carbon steel thimbles
AN100 thimbles
Threaded terminal studs
Malleable rope clips

Vinyl:

3/32"-3/8" 7x19 galvanized coated to 1/8"-15/32"
3/64"-3/8" 7x19 stainless steel coated to 1/16"-15/32"
3/64"-1/4" 7x7 galvanized coated to 1/16"-3/8"
1/32"-1/4" 7x7 stainless steel coated to 3/64"-3/8"

Vinyl Colors:

Natural	Green Lime
Beige	Green Trans.
Black	Orange Opaque
Blue Spartan	Orange Trans.
Blue Trans.	Red Trans.
Brown	White
Gray Medium	White Bright
Gray Trans. Smoke	Yellow Opaque

Custom colors upon request

Quality Management Systems:

ISO 9001:2015



Toll Free: (800) 275-5408
sales@sanlo.com
www.sanlo.com



Manufacturers of Wire Rope | Milton, Florida

strandcore
a cwi company

About Us

With its focus on quality and over 40 years of excellence, Strand Core produces Commercial, Mil-Spec, OEM Wire Rope, Wire Strand and Assemblies in multiple industries including but not limited to: Aerospace, Oil & Gas, Marine, Dept. of Defense, Construction, Medical and Rigging/Hoist Industries.

Products & Services

Domestic Strand

1/32"-1/8" 1x7 galvanized
1/64"-3/8" 1x7 302/304 stainless steel
3/64"-5/16" 1x19 galvanized
3/64"-1/4" 1x19 302/304, 316 stainless steel
5/32"-3/16" 1x37 bright, galvanized
5/32"-3/16" 1x37 302/304, 316 stainless steel

Domestic Wire Rope:

1/32"-3/64" 3x7 302/304, 316 IWRC & Fiber Core
5/32" 3x19 galvanized IWRC & Fiber Core
3/16"-5/8" 6x19 bright, galvanized IWRC & Fiber Core
3/16"-5/8" 6x19 302/304, 316 IWRC & Fiber Core
3/16"-5/8" 6x37 bright, galvanized IWRC & Fiber Core
3/16"-5/8" 6x37 302/304, 316 IWRC & Fiber Core

Domestic Aircraft Cable:

3/64"- 3/8" 7x7 galvanized
1/32"- 3/8" 7x7 302/304, 316 stainless steel
1/16"- 3/8" 7x19 302/304, galvanized
1/16"- 3/8" 7x19 302/304, 316 stainless steel
3/32"-1/4" 19x7 galvanized
3/32"-1/4" 19x7 302/304, 316 stainless steel

Wire Drawing:

0.0055"-0.028"

Galvanized per AISI specs
IPS, EIPS & EEIPS grades
GIPS, GEIPS & GEEIPS grades

0.0035"-0.028"

302/304 Stainless steel
316 Stainless steel
Inconel® 600,625
Nitronic® 32, 50
Monel® 400

Assembly:

Custom assemblies:

Standard constructions: 1x7, 1x19, 7x7, 7x19
Rescue hoists: 19x7

Military Standard (MS) Hardware:

Eye end (MS20668)
Double shank ball fitting (MS20663)
Single shank ball fitting (MS20664)
Fork end fitting (MS20667)
Locking stud (MS21260 | AN669 | NAS650)
Stud (MS21259 | AN666)
Oval sleeve (MS51844)
Turnbuckle body (MS21251)

National Aerospace Standard (NAS) Hardware:

Ball end fitting (NAS494)
Strap fork (NAS1435-K)
Strap eye (NAS1435-E)
Stop sleeve
AN100 thimble
Marine eye end

Specifications:

ASTM A 1023/A
BMS7-265
MIL-DTL-83420
MIL-DTL-87161
MIL-DTL-18375
MIL-DTL-83140
RR-W-410

Processes:

Rotary swaging wire rope through 1/4"
Prestretching bulk wire rope through 5/8"
Proofloading assemblies up to 320 ft., 12,000 lbs. max
Re-reeling, plastic/pressboard/plywood/lumber reels
Cut/coil/zip tie packaging
Individual bagging/labeling

Quality Management Systems:

ISO 9001 : 2015
AS9100 Rev D

Architectural Cable:

1/32"- 3/8" 7x7 302/304, 316 stainless steel
1/32"- 3/8" 7x19 302/304, 316 stainless steel
3/64"-1/4" 1x19 302/304, 316 stainless steel

Marine Wire Rope:

3/64"-1/4" 1x19 302/304, 316 stainless steel
1/32"- 3/8" 7x7 302/304, 316 stainless steel
1/32"- 3/8" 7x19 302/304, 316 stainless steel
3/16"-5/8" 6x19 302/304, 316 stainless steel



Toll Free: (800) 983-9926
sales@strandcore.com
www.strandcore.com

About Us

Loos and Company manufactures a wide variety of wire, aircraft cable, wire rope, and assemblies. These products are used in aerospace, military, and commercial applications, including - aircraft flight controls, elevators, fitness equipment, rigging, and scaffolding operations.

Products & Services

Domestic Strand:

1/64"-1/2" 1x7 galvanized
 1/64"-1/2" 1x7 302/304, 316 stainless steel
 3/64"-3/4" 1x19 galvanized
 3/64"-3/4" 1x19 302/304, 316 stainless steel
 1/16"-3/8" 1x13 bright & galvanized
 1/16"-3/8" 1x13 302/304, 316 stainless steel
 5/32"-5/8" 1x37 bright & galvanized
 5/32"-5/8" 1x37 302/304, 316 stainless steel

Domestic Wire Rope:

5/32-5/8" 3x19 galvanized
 5/32-5/8" 3x19 302/304, 316
 3/16"-1-1/4" 6x19 bright, galvanized, IWRC & Fiber Core
 3/16"-1-1/4" 6x19 302/304, 316 IWRC & Fiber Core
 3/16"-1-1/4" 6x25 302/304, 305, 316 IWRC & Fiber Core
 3/16"-1-1/4" 6x25 bright, galvanized IWRC & Fiber Core
 3/16"-1-1/4" 6x36 302/304, 305, 316 IWRC & Fiber Core
 3/16"-1-1/4" 6x36 bright, galvanized IWRC & Fiber Core
 3/16"-1-1/4" 6x37 302/304, 305, 316 IWRC & Fiber Core
 3/16"-1-1/4" 6x37 bright, galvanized IWRC & Fiber Core
 1/8"-1/2" 6x42 galvanized IWRC & Fiber Core
 1/8"-1/2" 6x42 302/304 stainless steel IWRC & Fiber Core
 5/32"-1/2" 7x7x7 galvanized IWRC & Fiber Core
 5/32"-1/2" 7x7x7 302/304 stainless steel IWRC & Fiber Core
 5/8"-1" 7x7x19 galvanized IWRC & Fiber Core
 5/8"-1" 7x7x19 302/304 stainless steel IWRC & Fiber Core

Standard Cable & Wire Rope Alloys:

All sizes and constructions can be manufactured in these or other specialty alloys

302, 304, 304L, 304V 305, 316, 316LVM 321, 347, 17-7 pH, MP35N®, Monel®, Inconel®, phosphor bronze 505 & 510

Domestic Aircraft Cable:

1/32"-1/16" 3x7 galvanized
 1/32"-1/16" 3x7 302/304, 305, 316 stainless steel
 1/32"-3/8" 7x7 galvanized
 1/32"-3/8" 7x7 302/304, 305, 316 stainless steel
 3/64"-3/8" 7x19 galvanized
 3/64"-3/8" 7x19 302/304, 305, 316 stainless steel
 1/8" 7x19 tin over zinc
 3/32" 7x7 tin over zinc
 3/32"-5/8" 19x7 galvanized
 3/32"-5/8" 19x7 302/304, 305, 316 stainless steel

Extrusion:

Jacket diameters:

0.021"-2.250" Nylon
 0.047"-2.250" Vinyl

Standard Materials:

Nylon 11, Nylon 6 Co-polymer, FDA approved Nylon 11, Nylon 12, V-80 (80 durometer) & V-90 (90 durometer) in various colors.

Color matching available:

We work with color concentrates that match customer samples or standard color specifications such as Pantone Color Numbers or FED-STD-595 Color Numbers.

Standard jacket OD tolerances:

+/- 0.007" up to 0.250"
 +/- 0.010" up to 0.375"
 +/- 0.015" up to 0.500"
 +/- 0.020" up to 0.750"
 +/- 0.025" larger than 0.750"

Assembly:

Military cable assemblies
 Aircraft control assemblies
 Lock-clad cable assemblies
 Commercial cable assemblies
 Fused cut wire rope and cables

Miniature Stainless Steel Cable Products:

0.006"-0.047" 1x7 302/304, 316 stainless steel
0.015"-0.047" 1x7 coated to 0.021"-0.063"
0.009"-0.047" 7x7 302/304, 316 stainless steel
0.014"-0.047" 7x7 coated to 0.021"-0.063"
0.008"-0.047" 1x19 302/304, 316 stainless steel
0.015"-0.047" 1x19 coated to 0.021"-0.063"
0.018"-0.047" 7x3 302/304, 316 stainless steel

Wire Drawing:

0.001"-0.217"

302, 304, 305, 309, 310, 314, 316, 317, 321, 330, 347,
410, 420, 430, Alloy 20CB3, SnCuFe, AL6XN, Nitronic®
032/050, Nickel 200/201, MP35N®, Hastelloy C276,
Inconel® 600/601/625/825, Monel® 400, Haynes Alloy 25,
galvanized per AISI specs, IPS/EIPS/EEIPS, BIPS/BEIPS/
BEEIPS, & GIPS/GEIPS/GEEIPS

Specialty alloys available upon request

Specialty Wire & Cable Products:

Exerflex Pro fitness cable
Armor wrapped cable
Mooring and oceanographic cable
Hide wire
Marine and rigging cable
Well screen wire
Well measuring line
Safety lock wire
Knitting wire
Weaving wire
Lashing wire
Spring wire

Quality Management Systems:

ISO 9001 : 2015
AS9100 Rev D
ISO 13485 : 2016



Toll Free: (800) 533-LOOS (5667)
sales@loosco.com
www.loosco.com

Medical Products:

0.001"-0.188" stainless steel round wire
Stainless steel flat wire 0.001"x0.003" to 0.019"x0.037"
0.003"-0.188" Elasticore® extrusion core wire
Cable assemblies

Wire & Cable Processing:

Bobbin winding
Wire straightening
Cable swaging
Cut to length
Welded/fused ends
Fittings
Crimped fittings
Individual bagging/labeling

Medical Strand:

0.003"-0.047" 1x7 302/304, 304V, 316LVM stainless steel
0.005"-0.047" 1x19 302/304, 304V, 316LVM stainless steel

Medical Cable:

0.009"-0.047" 7x7
0.015"-0.047" 7x19

Processes:

Rotary swaging of bulk wire rope through 1/4"
Prestretching bulk wire rope through 1-1/4"
Proofloading assemblies up to 300 ft., 8,500 lbs. max
Part Identification: electro-chemical etch, ink stamp, tag ID
Re-reeling, plastic/pressboard/plywood/lumber reels
Cut/coil/zip tie packaging
Individual bagging/labeling

Specifications:

MIL-DTL-83420	DMS 1989
MIL-DTL-87161	DMS 2220
MIL-DTL-18375	BMS7-265
MIL-DTL-87218	ASTM A1023
MIL-DTL-83140	ASTM A475
MIL-DTL-5765	ASTM A313
MIL-DTL-6117	P100
MIL-DTL-5688	P101
MIL-W-12567	BAMS 511-001
MIL-W-18242	BS24917
MIL-W-21632	CM3862
DMS 7-265	GL505H
DMS 2187	PS 60043
DMS 2192	ISO 2020
DMS 2453	BS 2W 12:1989
DMS 2454	RR-W-410
DMS 2114	CMMP007

LOOS & CO. U.S.A.

CABLEWARE® DIVISION

About Us

Specializing in MS, AN and NAS parts, stainless steel hardware from Loos & Company, Inc. Cableware Division has earned a reputation of having the finest quality products in the industry. Loos & Company, Inc. Cableware Division also manufactures and stocks a complete inventory of wire rope and cable hardware accessories including swaging tools, swaging machines and swaging dies.

Products & Services

MS Wire Rope Terminals:

Fork ends (MS21252C, NAS1435-K, MS20667)
Ball ends (MS20663, MS20664, BA3)
Eye ends (MS20668, MS21254C, MS21255C, EY1X, NAS1435-E)
Wire Rope Clips
Oval Sleeves (MS51844)
Thimbles
Studs (MS21259, MS21260)
Stop Sleeves
Turnbuckles (MS21251, MS21256)
Cable bushings
Clevis pins
Cotter pins

Seismic Bracing:

Complies with NFPA 13, ASCE 19, the IBC & ASCE 7

Seismic bracing cable:

#GO3-CBL - load rating: 418lbs
#OR4-CBL - load rating: 770lbs
#GR6-CBL - load rating: 1,900lbs
#BL8-CBL - load rating: 3,180lbs

Seismic bracing hardware:

Seismic anchoring fittings
Seismic anchoring fittings (retrofit)
Seismic anchoring fittings (2 cable holes)
Seismic anchoring kits (retrofit, 2 cable holes)
Oval sleeves
Low-pry fittings

Seismic bracing kits:

Available in #GO3 (GOLD), #OR4 (ORANGE), #GR6 (GREEN) and #BL8 (BLACK) cable

2-way sway bracing kit with fittings installed
4-way sway bracing kit

Tools:

Locoloc® Handswaging Tools
Locoloc® Battery Swaging Tools
FELCO Cable Cutters
Battery-Powered Cable Cutters
Hydraulic Cable Cutters
Swaging Machines
Cable Diameter Gauge
Locoloc® Sleeve Gauges
Accessories for M2
Locoloc® Swaging Kits
Tension Gauges
Cable Strippers
Locking & Seizing Wire (NASM20995)

Pulleys & Sheaves:

Stock steel pulleys 1.5"-6"
Stock QSheaves™ 6"-12"
Custom steel sheaves – Strongman™
Custom nylon sheaves – Hardhat™
Plastic process sheaves
Crosby API sheaves
Crosby McKissick sheaves
Gunnebo Johnson sheaves
Bomco replacement sheaves
Cable guides

Quality Management Systems:

AS9100 Rev D
ISO 9001 : 2015

Loos Precision Products

Machinery & Equipment:

12-foot bar feeders
Presses from 15 to 500 ton
Citizen Swiss CNS Lathes up to 1 1/2" diameter (13)
HAAS CNC Lathes (4)
HAAS TM-1 CNC Tool Room Mills
HAAS VF-2 CNC Vertical Machining Centers
Cincinnati Milacron 207MK Horizontal Mills
Cincinnati Milacron 100 Powermatic Horizontal Mills
Lagun FU-152 Horizontal Mill
Nardini Tool Room Lathes
Bridgeports (1 w/Prototrak)
Automatic Dumore Drill Units
4 Station Deep Drill Unit
Universal Grinder
Surface Grinders
Spot Welder
Stamp Presses
Roll Thread Machines – 15 Ton, 2 Die
Precision High Production Saws w/ Auto Feeding and Clamping
Keyence IM-7030 Video Measurement Equipment
Keyence IM-6010 Measurement Equipment
Tinius Olsen LoCap Universal Testing Machine
Custom Epsilon Extensometer
Service Diamond and Phase II Hardness Testers to ASTM E18-20
Fluorescent Penetrant Inspection System to ASTM E1417
Surftest SJ-210

In-House Inspection Capabilities:

High resolution dimensional inspection
Functional tension, compression, and elongation testing
Hardness testing of steel and aluminum
Crack, weld flaws, and other defect detection
Surface roughness testing
Statistical analysis & process capability (CP & CPK)
Production trends



Toll Free: (800) 321-LOOS (5667)
sales@loosnaples.com
www.loosnaples.com

Featured Processes:

Turning
Machining
Drilling
Tapping
Thread rolling
Broaching
Milling
Lathing
Grinding
Powder coating

Material Processing Capabilities:

ASTM-E-1417
Heat treat
Plating
Passivation per ASTM A967 standard
Tolerancing to ± 0.0001 "
Measurement Resolution of .000001

Standard Materials:

Stainless steel	Carbide
Alloy Steel	Copper
Aluminum	Nickel
Brass	Exotic Metals
Bronze Alloys	Plastics
Carbon Steel	Phenolics

BrushKing® Shearing & Pruning Tools:

Shearing Knives:

Razor edge shearing knives
Serrated edge shearing knives
Pine shaper

Cutters & Pruners:

Pruning knives
Grafting knives
FELCO pruners

Saws:

Hand saws
Pole saws

Accessories:

Pole saw/pruning blade
Holster
Shearing knife blades replacement parts
Shearing knife handles
Replacement parts
Shrink tube replacement parts



16B Mashamoquet Road
Pomfret Center, CT 06259, USA

Toll Free: (800) 533-LOOS (5667)
Phone: (860) 928-7981
Fax: (860) 928-6167

sales@loosco.com | www.loosco.com



901 Industrial Blvd.
Naples, FL 34104-3715, USA

Toll Free: (800) 321-LOOS (5667)
Phone: (239) 643-LOOS (5667)
Fax: (239) 643-4558

sales@loosnaples.com | www.loosnaples.com



www.centralwire.com



5881 Commerce Rd
Milton, FL, 32583, USA

Toll Free: (800) 983-9926
Phone: (850) 564-7161
Fax: (850) 983-8338

sales@strandcore.com | www.strandcore.com



400 State Highway 212
Michigan City, IN 46360, USA

Toll Free: (800) 275-5408
Phone: (219) 879-0241
Fax: (219) 879-5628

sales@sanlo.com | www.sanlo.com